

MATERIAL SAFETY DATA SHEET

MegaELISA® ENCEPHALITOZOON cuniculi

Version 01/2022



Lochauer Str. 2
A-6912 Hörbranz
AUSTRIA
Fon: (+43) 5573 85400
Fax: (+43) 5573 85400-4

1 PRODUCT DESCRIPTION

Product name **MegaELISA® ENCEPHALITOZOON cuniculi**
Synonym Enzyme immunoassay for the qualitative detection of IgG antibodies against *Encephalitozoon cuniculi* in plasma or serum of the rabbit.
Art. No. 825048EK1 (48's), 825096EK1 (96's)

2/3 TEST-KIT COMPONENTS and HAZARDOUS INGREDIENTS

	Components	48's kit	96's kit	Hazardous ingredient	Possible hazards
1.	1 ELISA plate with separable test strips with 8 determinations each, coated with <i>Encephalitozoon cuniculi</i> antigens	6 strips	12 strips	–	Although it is not classified as hazardous according to the European Regulation (EC) 1272/2008, the product should be handled with the usual care for all chemicals, in order to avoid synergistic effects. Because of the preservative it may be dangerous for water organisms.
2.	Sample dilution buffer SDB	25 ml	50 ml	0.045 % ProClin® 300	
3.	Wash buffer	25 ml	50 ml	0.045 % ProClin® 300	
4.	Positive Control	0.5 ml	1 ml	0.045 % ProClin® 300	
6.	Negative Control	0.5 ml	1 ml	0.045 % ProClin® 300	
7.	Conjugate	6 ml	12 ml	0.045 % ProClin® 300	According to EC regulation 1272/2008 (CLP), this mixture is classified as not hazardous. A corrosive effect cannot be ruled out because of the pH value.
8.	Substrate	6 ml	12 ml	< 0.1 % H ₂ O ₂	
9.	Stop solution	8 ml	15 ml	0.2 M Sulfuric acid	
10.	Cover foil	1	1	–	–
11.	Evaluation sheet	1	1	–	–
12.	Instructions for use	1	1	–	–

4 FIRST-AID MEASURES

Ingestion If symptoms persist, consult doctor.
Eyes Flush affected area with copious amounts of water. Contact physician for prophylactic treatment.
Skin Contact Wash affected area thoroughly with water and soap. Rinse thoroughly. In case of complaints, contact a physician.
Inhalation Supply fresh air; consult doctor in case of complaints.

5 FIRE AND EXPLOSION HAZARD DATA

1. Flash Point N/A
2. Extinguishing Media None
3. Special Fire Fighting Procedures None
4. Unusual Fire or Explosion Hazard None

6 ACCIDENTAL RELEASE MEASURES

Personal precautions Safety goggles. Wear suitable respiratory equipment, boots and gloves. Avoid breathing vapours, mist or gas. Keep away from sources of ignition. No smoking.
Spill and leak N/A to device, would only apply to samples used – biohazard precautions would apply. Treat cleaned area with established germicidal agent.

7 HANDLING AND STORAGE

Handle with care.

Store at 2–8°C.

See Instructions for use for specific instructions.

8 PERSONAL PROTECTION AND EXPOSURE CONTROLS

Protective clothing Wear gloves, lab coat.

Engineering measures None (ventilation, respiratory)

Thresholds limits None Suggested

Possible Routes of Exposure

Ingestion, Inhalation, Skin Contact, Skin Absorption, Eye Contact

9 PHYSICAL AND CHEMICAL DATA

1.	Colour	N/A
2.	Odor	N/A
3.	Boiling Point	N/A
4.	Evaporation Rate	N/A
5.	Specific Gravity	N/A
6.	Percent Volatile	N/A
7.	Vapor Density	N/A
8.	Vapor Pressure	N/A
9.	Water Solubility	N/A

10 STABILITY AND REACTIVITY

1.	Stability	Stable if stored under recommended storage conditions.
2.	Incompatibility	None
3.	Hazardous decomposition products	None

11. TOXICOLOGICAL INFORMATION

Acute overexposure	None
Sensitisation	None
Chronic overexposure	None

12. ECOLOGICAL INFORMATION

Ecotoxicity	N/A
Toxicity of the products of biodegradation	N/A

13. DISPOSAL PROCEDURES

After use, autoclave or incinerate per local, state, federal regulations. Treat as biohazardous material.

14. TRANSPORT INFORMATION

After use, autoclave or incinerate per local, state, federal regulations. Treat as biohazardous material.

15. REGULATORY INFORMATION

None.

MISCELLANEOUS INFORMATION

Handle used device with care and consider potential capability of transmitting infectious diseases.